BEST AVAILABLE COPY

PATENT COOPERATION TREATY

PCT

REC'D 1 6 NOV 2005

WIPO

PCT

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

(Chapter II of the Patent Cooperation Treaty)

(PCT Article 36 and Rule 70)

Applicant's or agent's file reference LU6133A FOR FURTHER A		ON	See Form PCT/IPEA/416					
International application No. International filing date (d. PCT/EP2004/010376 16.09.2004		month/year)	Priority date (day/month/year) 24.09.2003					
International Patent Classification (IPC) or national classification and IPC B01J19/18, C08F2/01								
B01319/16, 000/ 201								
Applicant BASELL POLYOLEFINE GMBH et al.								
 This report is the international preliminary examination report, established by this International Preliminary Examining Authority under Article 35 and transmitted to the applicant according to Article 36. 								
2 This REPORT consists of a total	The Party services of a total of 8, sheets, including this cover sheet.							
- 1 to also accompanied by ANNEXES comprising:								
57	53 with the emplicant and to the International Bureau) a total of 1 sheets, as follows:							
sheets of the descript and/or sheets contain	sheets of the description, claims and/or drawings which have been amended and are the basis of this report and/or sheets containing rectifications authorized by this Authority (see Rule 70.16 and Section 607 of the and/or sheets containing rectifications)							
sheets which superse beyond the disclosure	sheets which supersede earlier sheets, but which this Authority considers contain an amendment that goes beyond the disclosure in the international application as filed, as indicated in item 4 of Box No. I and the							
 b. (sent to the International Bureau only) a total of (indicate type and number of electronic carrier(s)) , containing a sequence listing and/or tables related thereto, in computer readable form only, as indicated in the Supplemental Box Relating to Sequence Listing (see Section 802 of the Administrative Instructions). 								
Box Relating to Sequence Listing (see Section 662 of the Atlantage Control of the Atlantage Cont								
4. This report contains indications relating to the following items:								
☐ Box No. I Basis of the o	pinion							
☐ Box No. II Priority		14	e stan and industrial applicability					
	e step and industrial applicability							
☐ Box No. IV Lack of unity of	of invention	***	the inventive step or industrial					
Box No. IV Box No. V Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement								
☐ Box No. VI Certain documents cited								
	☐ Box No. VII Certain defects in the international application							
☐ Box No. VIII Certain observations on the international application								
		Date of completion of	f this report					
Date of submission of the demand			•					
08.07.2005		15.11.2005						
Name and mailing address of the international preliminary examining authority:		Authorized Officer	Software bringing					
European Patent Office D-80298 Munich		Thomasson, P						
Tel. +49 89 2399 - 0 Tx: 50 Fax: +49 89 2399 - 4465	23656 epmu d	Telephone No. +49 8	89 2399-8339					

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

International application No. PCT/EP2004/010376

ON PATENTABILI	
Box No. I Basis	of the report
1. With regard to the	language, this report is based on the international application in the language in which it was vise indicated under this item.
☐ This report is	based on translations from the original language into the following language ,
☐ internation☐ publication	al search (under Rules 12.3 and 23.1(b)) of the international application (under Rule 12.4) of the international application (under Rules 55.2 and/or 55.3)
2. With regard to the	elements* of the international application, this report is based on (replacement sheets which elements* of the international application, this report is based on (replacement sheets which led to the receiving Office in response to an invitation under Article 14 are referred to in this led to the receiving Office in response to an invitation under Article 14 are referred to in this led to the receiving Office in response to an invitation under Article 14 are referred to in this led to the receiving Office in response to an invitation under Article 14 are referred to in this led to the receiving Office in response to an invitation under Article 14 are referred to in this led to the receiving Office in response to an invitation under Article 14 are referred to in this led to the receiving Office in response to an invitation under Article 14 are referred to in this led to the receiving Office in response to an invitation under Article 14 are referred to in this led to the receiving Office in response to an invitation under Article 14 are referred to in this led to the receiving Office in response to an invitation under Article 14 are referred to in this led to the receiving Office in response to an invitation under Article 14 are referred to in this led to the receiving Office in the response to the referred
Description, Page	
1-11	as originally filed
Claims, Numbers	24.06.2005
1-7	received on 12.07.2005 with letter of 24.06.2005
☐ a sequence	listing and/or any related table(s) - see Supplemental Box Relating to Sequence Listing
3. The amend	ments have resulted in the cancellation of:
☐ the desc☐ the claim☐ the draw☐ the sequ☐ any table	ription, pages ns, Nos. rings, sheets/figs rence listing <i>(specify)</i> : e(s) related to sequence listing <i>(specify)</i> :
had not been m Supplemental E	has been established as if (some of) the amendments annexed to this report and listed below ade, since they have been considered to go beyond the disclosure as filed, as indicated in the 80x (Rule 70.2(c)).
☐ the desing the claim ☐ the drawn ☐ the seq	cription, pages ms, Nos. wings, sheets/figs uence listing (specify):
* If item	4 applies, some or all of these sheets may be marked "superseded."

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

International application No. PCT/EP2004/010376

_							
	- Pow	No. III Non-establishment of	opin	ion with regard to novelty, inventive step and industrial			
	app	licability					
1.	The obvi	questions whether the claimed ir lous), or to be industrially applical	ion appears to be novel, to involve an inventive step (to be non- ave not been examined in respect of:				
		the entire international application	n,				
	×	claims Nos. 1					
	because:						
		not require an international preliminary examination (specify).					
		the description, claims or drawings (indicate particular elements below) or said claims Nos. are so unclear that no meaningful opinion could be formed (specify):					
		the claims, or said claims Nos.	ims, or said claims Nos. are so inadequately supported by the description that no meaningful opinion				
	⊠		ort has been established for the said claims Nos. 1				
		the pucleotide and/or amino aci	leotide and/or amino acid sequence listing does not comply with the standard provided for in Annex additional Annex additional Annex and Annex and Annex are also as a sequence listing does not comply with the standard provided for in Annex and Annex are also as a sequence listing does not comply with the standard provided for in Annex and Annex are also as a sequence listing does not comply with the standard provided for in Annex are also as a sequence listing does not comply with the standard provided for in Annex are also as a sequence listing does not comply with the standard provided for in Annex are also as a sequence listing does not comply with the standard provided for in Annex are also as a sequence listing does not comply with the standard provided for in Annex are also as a sequence listing does not comply with the standard provided for in Annex are also as a sequence listing does not comply with the standard provided for in Annex are also as a sequence listing does not comply with the standard provided for in Annex are also as a sequence listing does not comply as a s				
		the written form		has not been furnished			
				does not comply with the standard			
		the computer readable form		has not been furnished			
				does not comply with the standard			
		the tables related to the nucleonot comply with the technical r	ectide and/or amino acid sequence listing, if in computer readable form only, do requirements provided for in Annex C- <i>bis</i> of the Administrative Instructions.				
		See separate sheet for further	deta	ils			

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

International application No. PCT/EP2004/010376

Box No. V Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement

2-8

2-8

2-8

1. Statement

Novelty (N)

Yes: Claims

No: Claims

Claims

Inventive step (IS)

Yes: Claims

Industrial applicability (IA)

Yes: Claims

No:

No: Claims

2. Citations and explanations (Rule 70.7):

see separate sheet

Box No. VI Certain documents cited

1. Certain published documents (Rule 70.10)

and/or

2. Non-written disclosures (Rule 70.9)

see separate sheet

Box No. VIII Certain observations on the international application

The following observations on the clarity of the claims, description, and drawings or on the question whether the claims are fully supported by the description, are made:

see separate sheet

Re Item V

۷.

Reasoned statement with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement

1. Reference is made to the following documents:

D1: GB-A-1 482 148 (MONTEDISON SPA) 3 August 1977 (1977-08-03)
D2: DE 905 547 C (BATAAFSCHE PETROLEUM) 4 March 1954 (1954-03-04)

2. The present application meets the requirement of Article 33(2)-(3) PCT for the following reasons:

2.1 Closest prior art

D1 discloses a process for polymerization in a loop reactor of at least one olefinic monomer, e. g. **ethylene, propylene, 1-butene** (see D1: page 1, lines 36-51). The attention of the applicant is drawn to the fact that the wording of claim 1 "a process for polymerizing at least one olefinic monomer selected from the group comprising ethylene, propylene, 1-butene" does not exclude that these monomers are **co-polymerized** with other monomers, e. g. some vinyl monomers, as this is the case in D1. This is also what the applicant intends to do (see the description of the present application on page 4, lines 15-22 and on page 4, line 36 - page 5, line 3). The polymerization according to D1 may be carried out in suspension and may include solid products within the reaction mixture (see D1: page 1, lines 80-83 and page 3, lines 76-91). The process according to D1 is carried out at temperatures between 20 to 150°C and at pressures between 5 to 100 bar (see D1: International Search Report). In one example the pressure is 40 kg/sq.cm (gauge) which represents 40,2 bar (see D1: page 3, lines 34-36).

The loop reactor of D1 comprises a cyclic reactor tube with at least one widening and narrowing in a region other than that of the axial pump (see D1: figure 1; different diameters of the horizontal and vertical legs). Although not explicitly disclosed in D1 it is clear, with regard to the drawings, that the diameter variation of the cyclic reactor tube is of at least 10 %. Furthermore some **polymerization catalysts** may used in the process of D1 (see D1: page 1, lines 66-74 and page 2, lines 3-7).

PCT/EP2004/010376

2.2 Novelty

4

The subject-matter of claim 2 differs from D1 in that it indicates a **combination** of the following features (1) a pressure of from 43 to 80 bar, (2) polymerization carried out with a catalyst, (3) an ethylene concentration of at least 10 mol%, and (4) the polymer formed is present in a suspension.

2.3 Inventive step

The technical problem to be solved against D1 is to improve the polymerization capacity of a suspension polymerization reactor. The applicant found that the combination of the features (1)-(4) listed above (see § 2.2) allows to reach higher average solids concentration of polymers than the prior art. The subject-matter of claim 2 allows an average solids concentration of more than 53 % by weight (continuous discharge) or more than 45 % by weight (discontinuous discharge). D1 does not disclose any average solids concentration of polymers. D2, which discloses an olefins polymerization process, discloses an highest average solids concentration of polymers of 20 % (see D2: page 3, lines 25-32). The applicant indicates in the present application on page 1, line 32 page 2, line 4, that the prior art can not achieve polymer solids concentrations of more than 37-40 % by weight in suspension polymerization processes. It is plausible that features (1)-(4), especially the variation of diameter of the loop reactor and the pressure between 43-80 bars, allow to reach some higher polymer solids concentrations and therefore to solve the above technical problem (see the present application on page 3, lines 18-28, on page 4, line 29 - page 5, line 10). Therefore the inventive step of claims 2-8 can be recognized.

Re Item VI Certain documents cited

Certain published documents

Application No Patent No Publication date (day/month/year)

Filing date (day/month/year) Priority date (valid claim) (day/month/year)

WO2004/026463

01/04/2004

23/09/2003

23/09/2002

Re Item VIII

d,

Certain observations on the international application

- 1. The present application does not meet the requirements of Article 6 PCT:
- 1.1 Claim 1 indicates a process defined by reference to a desirable characteristic, namely an average solids concentration of more than 53 % by weight (continuous discharge) or more than 45 % by weight (discontinuous discharge). Claim 1 lacks clarity (Article 6 PCT). An attempt is made to define the process by reference to a **result to be achieved**. To this regard it is explicitly stated in the description of the present application on page 2, lines 5-10 that "It is an object of the present invention to find a process...which process makes higher solids concentration in the reactor...possible". This supports clearly that the features of an average solids concentration of more than 53 % by weight (continuous discharge) or more than 45 % by weight (discontinuous discharge) correspond to a **result to be achieved**. This is confirmed by the statement of the description on page 4, lines 29-32 which states that "The present invention makes it possible to carry out a suspension polymerization process...at solids concentrations of more than 53 % by weight".

Furthermore the concentrations of solids and of ethylene indicated in claim 1 are achieved by only a limited number of methods, namely those using a loop reactor whose diameter varies by at least 10% and in which there is at least one widening and narrowing (see the description on page 2, lines 18-26; page 4, line 34 - page 5, line 17). Although it is stated in the description on page 4, line 34 that the above features correspond to "one embodiment" of the present invention, no other embodiment is disclosed. It is furthermore explicitly stated on page 4, line 39 - page 5, line 3, that "the invention is based...deliberate nonuniform flow of the polymerization mixture...makes it possible to increase the solids concentration in the reactor". The only way disclosed in the application in order to deliver a nonuniform flow of the polymerization mixture is to use a loop reactor whose diameter varies by at least 10% and in which there is at least one widening and narrowing.

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY (SEPARATE SHEET)

4.

PCT/EP2004/010376

1.2 Claim 1 indicates a process for polymerization of at least one olefinic monomer selected from ethylene, propylene and 1-butene (ethylene is only optional and not compulsory). Furthermore claim 1 indicates that the ethylene concentration is of at least 10 mol%, which makes the presence of ethylene as being compulsory. Therefore claim 1 lacks clarity.

Additional observations:

Claim 1, line 14: "at a pressure of from" instead of "form".

1

We claim:

A process for polymerizing at least one olefinic monomer selected from ethylene, 1. propylene, 1-butene in a loop reactor in the presence of a polymerization catalyst at from 20 to 150°C, but below the melting point of the polymer to be formed, and a pressure of from 5 to 100 bar, where the polymer formed is present in a suspension in a liquid or supercritical suspension medium and this suspension is circulated by means of an axial pump, wherein the polymerization is carried out at an average solids concentration in the reactor of more than 53% by weight, based on the total mass of the contents of the reactor, in the case of continuous product discharge and at an average solids concentration in the 10 reactor of more than 45% by weight, based on the total mass of the contents of the reactor, in the case of discontinuous product discharge, and wherein the polymerization is carried out at an ethylene concentration of at least 10 mol%, based on the suspension medium, and the polymerization is carried out at pressure of form 43 to 80 bar.

15

5

A polymerization process as claimed in claim 1, wherein the loop reactor comprises a cyclic 2. reactor tube whose diameter varies by at least 10%, based on the predominant reactor tube diameter, and in which there is at least one widening and narrowing in a region other than that of the axial pump.

20

- A process as claimed in claim 1 or 2, wherein there is an additional widening and narrowing 3. of the reactor tube in the region of the axial pump.
- A process as claimed in any of the preceding claims, wherein ethylene is used as monomer 4. and at least one α -olefin having from 3 to 8 carbon atoms is used as comonomer. 25
 - A process as claimed in any of the preceding claims, wherein at least one olefinic monomer 5. is fed in at at least 2 points along the reactor tube.
- A process as claimed in any of the preceding claims, wherein the polymer formed is 30 6. discharged continuously from the reactor.
- A process for polymerizing at least one olefinic monomer in a loop reactor as claimed in 7. any of the preceding claims, wherein the polymerization in this loop reactor is preceded or followed by at least one further polymerization step in a loop reactor or a gas-phase 35 reactor.